

The Lockdown Effect: Implications of the COVID-19 Pandemic on Internet Traffic

Narseo Vallina-Rodriguez (IMDEA Networks) and **Juan Tapiador** (UC3M)

Jornadas REDIMadrid 2020 | 20 Oct 2020

Lots of data, lots of data crunchers



Anja Feldmann
MPII




Oliver Gasser
MPII



Franziska Lichtblau
MPII



Enric Pujol
BENOCS



Ingmar Poes
BENOCS



Christoph Dietzel
DE-CIX



Daniel Wagner
DE-CIX



Matthias Wichtlhuber
DE-CIX



Juan Tapiador
Universidad Carlos III
de Madrid



Narseo Vallina Rodriguez
IMDEA Networks, ICSI



Oliver Hohlfeld
Brandenburg University
of Technology



Georgios
Smaragdakis
TU Berlin, MPII

COVID-19 and the Internet

euronews.

Coronavirus: Half of humanity now on lockdown as 90 countries call for confinement

euronews.

Coronavirus: Half of humanity now on lockdown as 90 countries call for confinement

The New York Times

*Working From Home: How Coronavirus
Could Affect the Workplace*

euronews.

Coronavirus: Half of humanity now on lockdown as 90 countries call for confinement

The New York Times

Working From Home: How Coronavirus Could Affect the Workplace

INSIDE
HIGHER ED

Will Shift to Remote Teaching Be Boon or Bane for Online Learning?

euronews.

Coronavirus: Half of humanity now on lockdown as 90 countries call for confinement

The New York Times

Working From Home: How Coronavirus Could Affect the Workplace

INSIDE
HIGHER ED

Will Shift to Remote Teaching Be Boon or Bane for Online Learning?

 REUTERS

Under lockdown, Italy's social and family life goes virtual

COVID-19 and the Internet

euronews.

Coronavirus: Half of humanity now on lockdown as 90 countries call for confinement

The New York Times

Working From Home: How Coronavirus Could Affect the Workplace

INSIDE
HIGHER ED

Will Shift to Remote Teaching Be Boon or Bane for Online Learning?

 REUTERS

Under lockdown, Italy's social and family life goes virtual

The Internet is essential in all these efforts, but how well does it cope?

Goals of this presentation

- Understand the impact of the COVID-19 pandemic on different networks

Goals of this presentation

- Understand the impact of the COVID-19 pandemic on different networks
- Present our results from a diverse set of vantage points

Goals of this presentation

- Understand the impact of the COVID-19 pandemic on different networks
- Present our results from a diverse set of vantage points
- Highlight how a change in user demand affects traffic dynamics

Vantage points



3 IXPs

IXP Central Europe

IXP Southern Europe

IXP US East Coast



3 IXPs

IXP Central Europe

IXP Southern Europe

IXP US East Coast

Interconnecting networks



IXPs: Central Europe, Southern Europe, US East Coast

- Central Europe: 900+ members, 8+ Tbps peak traffic
- Southern Europe: 170+ members, 500+ Gbps peak traffic
- US East Coast: 250+ members, 600+ Gbps peak traffic
- IPFIX flows collected at the public peering platforms

Data has been analyzed strictly on premise and results are aggregated.

3 IXPs

IXP Central Europe

IXP Southern Europe

IXP US East Coast

Interconnecting networks



ISP

Central Europe

3 IXPs

IXP Central Europe

IXP Southern Europe

IXP US East Coast

Interconnecting networks



ISP

Central Europe

Residential customers
working from home

Large European ISP

- Services ~15M fixed line subscribers + Tier 1 transit network
- No hosted CDN caches, but a diverse peering infrastructure
- Subscriber view: Netflow captured at the Border Network Gateways (BNGs)
- AS level view: Netflow collected at the border routers

Data has been analyzed strictly on premise and results are aggregated.

3 IXPs

IXP Central Europe
IXP Southern Europe
IXP US East Coast

Interconnecting networks



EDU

Madrid region

ISP

Central Europe
Residential customers
working from home

3 IXPs

IXP Central Europe

IXP Southern Europe

IXP US East Coast

Interconnecting networks



EDU

Madrid region

Service network interconnecting
universities and research institutions

ISP

Central Europe

Residential customers
working from home

- Academic network interconnecting 16 universities and research centers (Madrid region)
- Serves ~290K users (including WiFi access, student halls, etc)
- NetFlow captured at the border routers

The network operators provided anonymized flow data.

Analyzing the pandemic across time

Our analysis is based on **four weeks** representing the course of the pandemic from **February 2020** to **June 2020**.

Analyzing the pandemic across time

base: February before the lockdown

Our analysis is based on **four weeks** representing the course of the pandemic from **February 2020** to **June 2020**.

Analyzing the pandemic across time

base: February before the lockdown

March: During the lockdown

Our analysis is based on **four weeks** representing the course of the pandemic from **February 2020** to **June 2020**.

Analyzing the pandemic across time

base: February before the lockdown

March: During the lockdown

April: First relaxation of restrictions

Our analysis is based on **four weeks** representing the course of the pandemic from **February 2020** to **June 2020**.

Analyzing the pandemic across time

base: February before the lockdown

March: During the lockdown

April: First relaxation of restrictions

June: Minimum restriction level

Our analysis is based on **four weeks** representing the course of the pandemic from **February 2020** to **June 2020**.

Analyzing the pandemic across time

base: February before the lockdown

March: During the lockdown

April: First relaxation of restrictions


June: Minimum restriction level

	ISP-CE	IXP-CE	IXP-SE	IXP-US	EDU
base	Feb 20–26	Feb 20–26	Feb 20–26	Feb 20–26	Feb 20–26
March	Mar 19–25	Mar 19–25	Mar 12–18	Mar 19–25	Mar 12–18
April	Apr 09–15	Apr 23–29	Apr 23–29	Apr 23–29	Apr 23–29
June	Jun 18–24	Jun 18–24	Jun 18–24	Jun 18–24	n/a


Our analysis is based on **four weeks** representing the course of the pandemic from **February 2020** to **June 2020**.

Traffic changes in different networks

Traffic changes January 2019 to June 2020




Traffic changes January 2019 to June 2020




Once the lockdown started the ISP saw an increase in traffic which normally spans over multiple months.

Traffic changes January 2019 to June 2020




Traffic changes January 2019 to June 2020




Similar behaviour for the IXPs; for the IXP CE and IXP US the traffic levels keep elevated.

Traffic changes January 2019 to June 2020




Traffic changes January 2019 to June 2020




Once the lockdown started mobile traffic decreased measurably and increases with the first relaxations in mid April.


Traffic volumes before and after the lockdown




Traffic volumes before and after the lockdown




Traffic volumes before and after the lockdown




Traffic volumes before and after the lockdown




Traffic volumes before and after the lockdown




Lockdown: Change in workday vs. weekend pattern (ISP)



Lockdown: Change in workday vs. weekend pattern (ISP)




Lockdown: Change in workday vs. weekend pattern (ISP)




- Regular patterns

Lockdown: Change in workday vs. weekend pattern (ISP)




- Regular patterns
 - Workday: Strong increase in evening hours
 - Weekend: More traffic during daytime

Lockdown: Change in workday vs. weekend pattern (ISP)




- Regular patterns
 - Workday: Strong increase in evening hours
 - Weekend: More traffic during daytime

Lockdown: Change in workday vs. weekend pattern (ISP)




- Regular patterns
 - Workday: Strong increase in evening hours
 - Weekend: More traffic during daytime
- During pandemic: Workdays look more like weekends

Changes in workday vs. weekday patterns at the ISP




- Classify days into workdays or weekends using traffic patterns

Changes in workday vs. weekday patterns at the ISP




- Classify days into workdays or weekends using traffic patterns
- Pre-lockdown: Most days are classified correctly

Changes in workday vs. weekday patterns at the ISP



- Classify days into workdays or weekends using traffic patterns
- Pre-lockdown: Most days are classified correctly
- During lockdown: Many workdays are classified as weekends


Changes in workday vs. weekday patterns at the ISP




- Classify days into workdays or weekends using traffic patterns
- Pre-lockdown: Most days are classified correctly
- During lockdown: Many workdays are classified as weekends; recovering after mid-May

Changes in workday vs. weekday patterns: ISP vs. IXP

ISP




IXP




Changes in workday vs. weekday patterns: ISP vs. IXP

ISP



IXP



- Workdays are also mostly classified as weekends at the IXP

Classify traffic by application class

- Classification: transport ports and AS based

Classify traffic by application class



- Classification: transport ports and AS based
- Normalize traffic to min/max of three weeks

Classify traffic by application class

- Classification: transport ports and AS based
- Normalize traffic to min/max of three weeks
- No change in early morning hours → remove



Classify traffic by application class

- Classification: transport ports and AS based
- Normalize traffic to min/max of three weeks
- No change in early morning hours → remove



Classify traffic by application class



- Classification: transport ports and AS based
- Normalize traffic to min/max of three weeks
- No change in early morning hours → remove



- Email during working hours

Classify traffic by application class



- Classification: transport ports and AS based
- Normalize traffic to min/max of three weeks
- No change in early morning hours → remove



- Email during working hours
- CDN, VoD, gaming and social media during evening hours


Classify traffic by application class

- Classification: transport ports and AS based
- Normalize traffic to min/max of three weeks
- No change in early morning hours → remove




- Email during working hours
- CDN, VoD, gaming and social media during evening hours
- Hardly any web conferencing

Changes in application classes: Central European ISP




Changes in application classes: Central European ISP



March:

- Large increase in web conf., coll. working, educational traffic
- Partial decrease in VoD and gaming


Changes in application classes: Central European ISP



March:

- Large increase in web conf., coll. working, educational traffic
- Partial decrease in VoD and gaming

Changes in application classes: Central European ISP




March:

- Large increase in web conf., coll. working, educational traffic
- Partial decrease in VoD and gaming

April:

- Growth in Email less pronounced
- Decrease in social media

Changes in application classes: Central European ISP




March:

- Large increase in web conf., coll. working, educational traffic
- Partial decrease in VoD and gaming

April:

- Growth in Email less pronounced
- Decrease in social media

Changes in application classes: Central European ISP



March:

- Large increase in web conf., coll. working, educational traffic
- Partial decrease in VoD and gaming


April:

- Growth in Email less pronounced
- Decrease in social media


June:

- Web conf. still growing, but more focused on working hours
- Moderate growth in coll. working
- Decrease of VoD, gaming and social media

Changes in application classes: Central European IXP




Changes in application classes: Central European IXP



March:

- Increase in web conf., VoD, and gaming
- Partial decrease in CDN and educational traffic


Changes in application classes: Central European IXP



March:

- Increase in web conf., VoD, and gaming
- Partial decrease in CDN and educational traffic

Changes in application classes: Central European IXP




March:

- Increase in web conf., VoD, and gaming
- Partial decrease in CDN and educational traffic

April & June:

- Strong increase in web conf.
- Decrease in CDN and social media traffic

Changes in application classes: Central European IXP




March:

- Increase in web conf., VoD, and gaming
- Partial decrease in CDN and educational traffic

April & June:

- Strong increase in web conf.
- Decrease in CDN and social media traffic

Changes in application classes: Central European IXP




March:

- Increase in web conf., VoD, and gaming
- Partial decrease in CDN and educational traffic


April & June:

- Strong increase in web conf.
- Decrease in CDN and social media traffic

Case Study: Gaming traffic at a Southern European IXP



Case Study: Gaming traffic at a Southern European IXP



- Gaming: Large increase in number of active IP addresses and traffic volume


VPN identification

- Port-based: Well known port/proto combinations exclusively used by VPN services
- DNS-based: For TCP/443 traffic, IPs labeled *vpn*, but not www.

VPN traffic: Central European IXP

VPN identification


- Port-based: Well known port/proto combinations exclusively used by VPN services
- DNS-based: For TCP/443 traffic, IPs labeled *vpn*, but not www.



VPN traffic: Central European IXP

VPN identification

- Port-based: Well known port/proto combinations exclusively used by VPN services
- DNS-based: For TCP/443 traffic, IPs labeled *vpn*, but not www.




- 200% increase in domain-based VPN traffic in March during working hours

VPN traffic: Central European IXP

VPN identification

- Port-based: Well known port/proto combinations exclusively used by VPN services
- DNS-based: For TCP/443 traffic, IPs labeled *vpn*, but not www.




- 200% increase in domain-based VPN traffic in March during working hours
- Slight decrease in April

VPN traffic: Central European IXP

VPN identification


- Port-based: Well known port/proto combinations exclusively used by VPN services
- DNS-based: For TCP/443 traffic, IPs labeled *vpn*, but not www.




- 200% increase in domain-based VPN traffic in March during working hours
- Slight decrease in April & June

How did edu traffic change?

Ingress-egress traffic ratio: REDIMadrid




Ingress-egress traffic ratio: REDIMadrid




- Large decrease in traffic and number of connections

Ingress-egress traffic ratio: REDIMadrid




- Large decrease in traffic and number of connections
- Traffic ratio significantly decreased from 15:1 to 4:1

Protocol changes: REDIMadrid




Protocol changes: REDIMadrid



- Large increase in incoming web (1.7x), email (1.8x), VPN (4.8x), remote desktop (5.9x), and SSH (9.1x) traffic.

Protocol changes: REDIMadrid



- Large increase in incoming web (1.7x), email (1.8x), VPN (4.8x), remote desktop (5.9x), and SSH (9.1x) traffic.
- Large decrease in outgoing web traffic (50%) and mobile traffic (65% of push notifications' traffic)

What we found

People change → traffic changes

- Changes in people's lives lead to new traffic patterns

People change → traffic changes

- Changes in people's lives lead to **new traffic patterns**
- Difference between **workday and weekend** vanishes

People change → traffic changes

- Changes in people's lives lead to **new traffic patterns**
- Difference between **workday and weekend** vanishes
- Applications for **remote work, education, VPN, and video conferencing** see significant increase in traffic

People change → traffic changes

- Changes in people's lives lead to **new traffic patterns**
- Difference between **workday and weekend** vanishes
- Applications for **remote work, education, VPN, and video conferencing** see significant increase in traffic
- **Absence of users** can lead to **decrease** in traffic for certain applications

People change → traffic changes

- Changes in people's lives lead to **new traffic patterns**
- Difference between **workday and weekend** vanishes
- Applications for **remote work, education, VPN, and video conferencing** see significant increase in traffic
- **Absence of users** can lead to **decrease** in traffic for certain applications
- Many of the relevant applications are not served by hypergiants → **sole focus on hypergiants is not sufficient**

People change → traffic changes

- Changes in people's lives lead to **new traffic patterns**
- Difference between **workday and weekend** vanishes
- Applications for **remote work, education, VPN, and video conferencing** see significant increase in traffic
- **Absence of users** can lead to **decrease** in traffic for certain applications
- Many of the relevant applications are not served by hypergiants → **sole focus on hypergiants is not sufficient**

Our vantage points reveal that the impact of the COVID-19 pandemic is directly reflected in changes to Internet traffic patterns.

Traffic changes → networks change

- Traffic increase of 15-30% within a few days
- Networks usually provision for $\approx 30\%$ increase per year

Traffic changes → networks change

- Traffic increase of 15-30% within a few days
- Networks usually provision for $\approx 30\%$ increase per year
- Impact on peak traffic is limited, but valleys get filled

Traffic changes → networks change

- Traffic increase of 15-30% within a few days
- Networks usually provision for $\approx 30\%$ increase per year
- Impact on peak traffic is limited, but valleys get filled
- The Central European IXP reports capacity increases of around 1,500 Gbps

Traffic changes → networks change

- Traffic increase of 15-30% within a few days
- Networks usually provision for $\approx 30\%$ increase per year
- Impact on peak traffic is limited, but valleys get filled
- The Central European IXP reports capacity increases of around 1,500 Gbps
- Networks could react quickly to the additional need for capacity

Traffic changes → networks change

- Traffic increase of 15-30% within a few days
- Networks usually provision for $\approx 30\%$ increase per year
- Impact on peak traffic is limited, but valleys get filled
- The Central European IXP reports capacity increases of around 1,500 Gbps
- Networks could react quickly to the additional need for capacity

Well-provisioned networks can accommodate sudden changes in demand if they're planned with spare capacity and quick reaction times.

Traffic changes → networks change

- Traffic increase of **15-30%** within a few **days**
- Networks usually provision for **≈30%** increase **per year**
- Impact on peak traffic is limited, but **valleys get filled**
- The Central European IXP reports capacity increases of around **1,500 Gbps**
- Networks could **react quickly** to the additional need for capacity

Well-provisioned networks can accommodate sudden changes in demand if they're planned with spare capacity and quick reaction times.

Contact emails:

narseo.vallina@imdea.org

jestevez@inf.uc3m.es

Paper link:

[arXiv:2008.10959](https://arxiv.org/abs/2008.10959)